

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

Reserve
aSB953
T474
1996



United States
Department of
Agriculture



Forest Service

Forest Health
Protection

Forest Health
Technology
Enterprise Team-
Davis
2121C Second Street
Davis, CA 95616

A RESOURCE BIBLIOGRAPHY FOR THE USDA FOREST SERVICE CRAMER-BARRY-GRIM (FSCBG) AERIAL SPRAY MODEL



FHTET 96-29
November 1996

The use of trade names and identification of firms or corporations is for the convenience of the reader; such use does not constitute an official endorsement or approval by the United States Government of any product or service to the exclusion of others that may be suitable.

United States
Department of
Agriculture



NATIONAL AGRICULTURAL LIBRARY


Advancing Access to
Global Information for
Agriculture

danger of animals, or in ways that may contaminate water or leave illegal residues.


Avoid prolonged inhalation of pesticide sprays or dusts; wear protective clothing and equipment, if specified on the label.

If your hands become contaminated with a pesticide, do not eat or drink until you have washed. In case a pesticide is swallowed or gets in the eyes, follow the first aid treatment given on the label, and get prompt medical attention. If a pesticide is spilled on your skin or clothing, remove clothing immediately and wash skin thoroughly.

NOTE: Some States have restrictions on the use of certain pesticides. Check your State and local regulations. Also, because registrations of pesticides are under constant review by the U.S. Environmental Protection Agency, consult your local forest pathologist, county agriculture agent, or State extension specialist to be sure the intended use is still registered.



FHTET 96-29
(C. D. I. Technical Memo 96-17)
November 1996



A Resource Bibliography for the
USDA Forest Service Cramer-Barry-
Grim (FSCBG) Aerial Spray Model

Prepared by:

Milton E. Teske

Continuum Dynamics, Inc.
P. O. Box 3073
Princeton, NJ 08543

Contract No. 53-0343-1-00153

Prepared for:

USDA Forest Service
Forest Health Technology
Enterprise Team
Davis Service Center
2121C Second Street
Davis, CA 95616
(916) 757-8341 voice
(916) 757-8383 fax

John W. Barry
Project Officer

Abbreviations

The following abbreviations are used frequently in the reference lists:

ACAFA	Associate Committee on Agriculture and Forestry Aviation
ACS	American Chemical Society
AGDISP	AGricultural DISPersal
AMS	American Meteorological Society
ASAE	American Society of Agricultural Engineers
ASTM	American Society for Testing and Materials
CDI	Continuum Dynamics, Inc.
DPG	U. S. Army Dugway Proving Ground
FHTET	Forest Health Technology Enterprise Team
FPM	Forest Pest Management
FS	USDA Forest Service
FSCBG	Forest Service Cramer-Barry-Grim
HEC	H. E. Cramer Company, Inc.
ILASS	Institute for Liquid Atomization and Spray Systems
MTDC	Missoula Technology and Development Center
NAAA	National Agricultural Aviation Association
NASA	National Aeronautics and Space Administration
SAE	Society of Automotive Engineers
WIND	Winds in Nonuniform Domains

1. Aerial Application Assessment

Anonymous. 1982. An assessment of aerial application technology. Report No. FPM 82-3. FS: Davis, CA.

Barry, J. W. 1977. Problems associated with maintaining consistent swaths when spraying forests with helicopters. *Agricultural Aviation* 18:18-22.

Barry, J. W. 1984. Deposition of chemical and biological agents in conifers. ACS Symposium Series No. 238. Chemical and Biological Controls in Forestry. W. Y. Garner and J. Harvey (eds). Washington, DC. pp. 117-137.

Barry, J. W. 1984. Drop size: drift and effectiveness of herbicide sprays. Report No. FPM 84-4. FS: Davis, CA.

Barry, J. W. 1985. Aerial application of *Bacillus thuringiensis* in the western U. S. Symposium on the Microbial Control of Spruce Budworms and Gypsy Moths: Windsor Locks, CT. pp. 144-147.

Barry, J. W. 1990. Some thoughts on the evaluation of pesticide tank mixes, simulants, and devices in wind tunnels. Gypsy Moth Review: Ottawa, Ontario. pp. 41-43.

Barry, J. W. 1993. Aerial application to forests. Application Technology for Crop Protection. G. A. Matthews and E. C. Hislop (eds). CAB International: Wallingford, Oxon, United Kingdom. pp. 241-273.

Barry, J. W. 1995. The USDA Forest Service pesticide environmental fate and application development program - an overview. Report No. FPM 95-10. FS: Davis, CA.

Barry, J. W. 1996. The USDA Forest Service pesticide spray behavior and application development program - an overview. *J. American Mosquito Control Association* 12:342-352.

Barry, J. W. and W. M. Ciesla. 1981. Managing drift in forest spray operations. *Aerial Applicator* 19:8-9,12,17.

Barry, J. W. and R. B. Ekblad. 1983. Forest Service spray drift modeling 1971-1982. Paper No. 83-1006. ASAE: Boseman, MT.

Barry, J. W., R. B. Ekblad, J. E. Rafferty and A. J. Bilanin. 1987. Aerial spray models in Program WIND. Paper No. PR87-103. ASAE: Tucson, AZ.

Barry, J. W., R. B. Ekblad, M. E. Teske and P. J. Skyler. 1990. Computer models for aerial delivery of pesticides. Gypsy Moth Review: Ottawa, Ontario. pp. 24-35.

Barry, J. W., R. B. Ekblad, M. E. Teske and P. J. Skyler. 1990. Predictive models for aerial delivery of pesticides. ACAFA Symposium and Trade Show: Winnipeg, Manitoba. pp. 13-24.

Barry, J. W., R. B. Ekblad, M. E. Teske and P. J. Skyler. 1990. Technology transfer Forest Service aerial spray models. Paper No. 901017. ASAE: Columbus, OH.

Barry, J. W., J. E. Rafferty and R. B. Ekblad. 1987. Modeling for aerial spray buffer zone. Report No. FPM 87-4. FS: Davis, CA.

Barry, J. W., B. Richardson, M. E. Teske and J. W. Ray. 1996. SpraySafe Manager - a decision support system for aerial application of herbicides in forestry. Proceedings of the 1996 National Meeting of the Society of American Foresters: Albuquerque, NM.

Barry, J. W. and C. M. Riley. 1993. Predicting fate of pesticides in forest ecosystems. *Environmental Toxicology and Chemistry* 12:397-398.

Barry, J. W. and M. E. Teske. 1992. Predicting and observing fate of sprays released over forests. Presented at XIX International Congress of Entomology, Session 14S-5, The Fate of Chemicals in the Environment: Beijing, China.

Barry, J. W. and M. E. Teske. 1993. Aerial application computer simulations and U. S. experiences. Presented at Weedworks '93 Workshop on Forestry Weed Control. New Zealand Forest Research Institute: Rotorua, New Zealand.

Barry, J. W., M. E. Teske and H. W. Thistle. 1995. New aerial herbicide application technology. Report No. FPM 95-5. FS: Davis, CA. Presented at the 16th Annual Forest Vegetation Management Conference: Sacramento, CA. pp. 29-54.

Barry, J. W. and H. W. Thistle. 1995. Developing technology - a forest health partnership. National Silviculture Workshop: Mescalero, NM. pp. 145-152.

Barry, J. W., M. Tysowsky, R. B. Ekblad and W. M. Ciesla. 1974. Carrier dusts - feasibility for forest insect control. *Transactions of the ASAE* 17:645-650.

Boyle, D. G. 1989. Spray accountancy review - a literature search (two volumes). Report No. FPM 89-3. FS: Davis, CA.

Ekblad, R. B. 1976. Meteorology and pesticide application. AMS 4th Conference on Fire and Forest Meteorology: St. Louis, MO. pp. 101-108.

Ekblad, R. B. and J. W. Barry. 1977. Forest spraying: recent developments and future needs. Paper No. 77-1572. ASAE: Raleigh, NC.

Ekblad, R. B. and J. W. Barry. 1983. A review of progress in technology of aerial application of pesticides. Report No. 8334-2803. FS: Missoula, MT.

Ekblad, R. B. and J. W. Barry. 1983. A review of progress in technology of aerial application of pesticides to forests. AMS 7th Conference on Fire and Forest Meteorology: Ft. Collins, CO.

Ekblad, R. B. and J. W. Barry. 1983. Technological progress in aerial application of pesticides. ACS Symposium Series No. 238. Chemical and Biological Controls in Forestry. W. Y. Garner and J. Harvey (eds). Washington, DC. pp. 79-94.

Ekblad, R. B., J. W. Barry and R. Banaugh. 1979. Deliverable dose index: an approximate method for comparing effectiveness of pesticide droplet sizes. Report No. 7934-2803. FS: Missoula, MT.

Ghent, J. H., S. J. Thomas, D. B. Twardus, K. W. Gottschalk and M. E. Teske. 1996. A demonstration of GypsES - the gypsy moth decision support system. Paper No. 961036. ASAE: Phoenix, AZ.

Ghent, J. H., S. J. Thomas, D. B. Twardus and M. E. Teske. 1996. GypsES: the gypsy moth decision support system. Paper No. AA96-005. NAAA/ASAE: Reno, NV.

Ghent, J. H., D. B. Twardus, A. B. Cumming, S. J. Thomas, K. W. Gottschalk and J. W. Barry. 1996. GypsES - decision support for gypsy moth managers. Proceedings of the 1996 National Meeting of the Society of American Foresters: Albuquerque, NM.

Hall, F. R. and J. W. Barry. 1995. An overview of biorational pest control agents. ACS Symposium Series No. 595. Biorational Pest Control Agents - Formulation and Delivery. F. R. Hall and J. W. Barry (eds). Washington, DC. pp. 1-18.

Johnstone, D. R. 1978. The use of rotary-wing aircraft in the application of pesticides. *Agricultural Aviation* 19:21-32.

MacNichol, A. Z., M. E. Teske and J. W. Barry. 1996. A technique to characterize spray deposit in orchard and tree canopies. *Applied Engineering in Agriculture* (in review).

McCooye, M. A., R. S. Crabbe, R. E. Mickle, A. Robinson, E. B. Stimson, J. A. Arnold and D. G. Alward. 1993. Strategy for Reducing Drift of Aerially Applied Pesticides. National Research Council Canada.

McLaughlan, M. S., R. E. Mickle and F. W. Bell. 1996. Aerial application of herbicides: a review of common aircraft and drift prediction tools. Report No. TN-36. Northwest Science and Technology: Ontario, Canada.

Mickle, R. E. 1996. Influence of aircraft vortices on spray cloud behavior. *J. American Mosquito Control Association* 12:372-379.

Neillie, C. R. and J. S. Houser. 1922. Fighting insects with airplanes - an account of the successful use of the flying-machine in dusting tall trees infested with leaf-eating caterpillars. *National Geographic Magazine* 41:333-339.

Reichard, D. L., H. Zhu, R. D. Fox and R. D. Brazee. 1992. Computer simulation of variables that influence spray drift. *Transactions of the ASAE* 35:1401-1407.

Richardson, B., J. W. Barry, M. E. Teske and J. W. Ray. 1996. SpraySafe Manager: an aerial application decision support system that integrates predictions of deposition and drift with biological response and economic models. Paper No. 961057. ASAE: Phoenix, AZ.

Riley, C. M., M. A. McCooye, R. S. Crabbe, R. E. Mickle and J. J. C. Picot. 1992. Further studies on the effects of aircraft application parameters on deposit and drift of forestry herbicides. Report No. C/92/443(a). Ontario Forest Research Institute, Ontario Ministry of Natural Resources, Sault Ste. Marie, Ontario, Canada.

Smith, D. B., M. H. Willcutt, D. L. Valcore, J. W. Barry and M. E. Teske. 1993. Guidelines for aerial atomization and spray drift reduction for Mississippi applicators. Information Bulletin 251. Mississippi Agricultural and Forestry Experiment Station and Mississippi State University, Mississippi State, MS.

- Teske, M. E. 1992. FSCBG model input sensitivity study. Report No. FPM 92-14. FS: Davis, CA.
- Teske, M. E. 1994. Five years of FSCBG development - a statement of progress. Report No. FPM 95-4. FS: Davis, CA.
- Teske, M. E. 1996. Evaluation of the FSCBG aerial spray model's near-wake sensitivity to selected input parameters. Tech Note No. 95-21. CDI: Princeton, NJ.
- Teske, M. E. 1996. An introduction to aerial spray modeling with FSCBG. *J. American Mosquito Control Association* 12:353-358.
- Teske, M. E. 1996. The status of FSCBG and related model developments - a 1996 update. Report No. FHTET 96-17. FS: Davis, CA.
- Teske, M. E. and J. W. Barry. 1992. FSCBG model input sensitivity study. Paper No. 921086. ASAE: Charlotte, NC.
- Teske, M. E. and J. W. Barry. 1993. Parametric sensitivity in aerial application. *Transactions of the ASAE* 36:27-33.
- Teske, M. E., J. W. Barry and R. B. Ekblad. 1991. Preliminary sensitivity study of aerial application inputs for FSCBG 4.0. Paper No. 911052. ASAE: Albuquerque, NM.
- Teske, M. E., J. W. Barry and B. Richardson. 1996. An FSCBG sensitivity study for decision support systems. Paper No. 961037. ASAE: Phoenix, AZ.
- Twardus, D. B., J. H. Ghent, S. J. Thomas, K. W. Gottschalk and M. E. Teske. 1996. An overview of GypsES - the gypsy moth decision support system. Paper No. 961035. ASAE: Phoenix, AZ.
- Weeks, J. A. and J. W. Barry. 1983. An aerial spray planning and analysis system. AMS 16th Conference on Agriculture and Forest Meteorology: Ft. Collins, CO. pp. 218-221.
- Weeks, J. A., H. R. Blacksten and S. D. Coffey. 1982. Recommended development plan for an aerial spray planning and analysis system. Report No. FPM 82-2. FS: Davis, CA.
- Wickens, R. H. 1977. Aircraft wake vortices and their effects on aerial spray deposition. Report No. LTR-LA-219. National Research Council: Ottawa, Canada.
- Yates, W. E., N. B. Akesson and R. E. Cowden. 1974. Criteria for minimizing drift residues on drops downwind from aerial applications. *Transactions of the ASAE* 17:627-632.

2. Model Support

Akesson, N. B. and R. E. Gibbs. 1990. Pesticide drop size as a function of spray atomizers and liquid formulations. Pesticide Formulation and Application Systems: 10th Volume. STP 1078. L. E. Bode, J. L. Hazen and D. G. Chasin (eds). ASTM: Philadelphia, PA.

Atias, M. and D. Weihs. 1985. On the motion of spray drops in the wake of an agricultural aircraft. *Atomization and Spray Technology* 1:21-36.

Barry, J. W., W. E. Newton and R. B. Ekblad. 1988. Distribution of aerial sprays in an almond orchard. Paper No. AA88-005. ASAE: Las Vegas, NV.

Barry, J. W., P. J. Skyler, M. E. Teske, H. W. Thistle and M. Quilter. 1994. *Bacillus thuringiensis* study summary - drift, canopy penetration, and soil persistence. Gypsy Moth Review: Portland, OR. pp. 74-86.

Beard, K. V. and H. R. Pruppacher. 1971. A wind tunnel investigation of the rate of evaporation of small water drops falling at terminal velocity in air. *J. Atmospheric Science* 28:1455-1464.

Bergen, J. D. 1971. Vertical profiles of windspeed in a pine stand. *Forest Science* 17:314-321.

Best, A. C. 1950. Empirical formulae for the terminal velocity of water drops falling through the atmosphere. *Quarterly J. Royal Meteorological Society* 76:302-311.

Bilanin, A. J. and C. duP. Donaldson. 1975. Estimation of velocities and roll-up in aircraft vortex wakes. *J. Aircraft* 12:578-585.

Bilanin, A. J., M. E. Teske, J. W. Barry and R. B. Ekblad. 1989. Project WIND anemometer tower flyby data reduction. AMS 19th Conference on Agriculture and Forest Meteorology: Charleston, SC. pp. 188-191.

Bilanin, A. J., M. E. Teske and R. G. Geyer. 1996. Interaction of spray aircraft wake with convective surface winds in hilly terrain. Report No. FHTET 96-26. FS: Davis, CA.

Bjorklund, J. R., C. R. Bowman and R. K. Dumbauld. 1984. User's manual for the mesoscale wind field model statistical evaluation computer program MWMSE. Report No. TR-84-347-01. HEC: Salt Lake City, UT.

Boyle, D. G., J. W. Barry, C. O. Eckard, W. T. Taylor, W. C. McIntyre, R. K. Dumbauld and H. E. Cramer. 1975. DC-7B aircraft spray system for large-area insect control. Report No. DPG-DR-C980A. DPG: Dugway, UT.

Bragg, M. B. 1986. A numerical simulation of the dispersal of liquid from aircraft. *Transactions of the ASAE* 29:10-15.

Cionco, R. M. 1965. A mathematical model for air flow in a vegetative canopy. *J. Applied Meteorology* 4:517-522.

Crabbe, R. S., M. McCooeye and R. E. Mickle. 1994. The influence of atmospheric stability on wind drift from ultra-low-volume aerial forest spray applications. *J. Applied Meteorology* 33:500-507.

Curbishley, T. B. 1992. 1991 CASPR spray aircraft efficiency model - validation study. Report No. FPM 92-8. FS: Davis, CA.

Curbishley, T. B. 1995. CASPR (computer assisted spray productivity routine) user manual. Report No. FPM 95-6. FS: Davis, CA.

Curbishley, T. B., M. E. Teske and J. W. Barry. 1993. A productivity model for aerial application. Paper No. 931072. ASAE: Spokane, WA.

Curbishley, T. B., M. E. Teske and J. W. Barry. 1993. Validation of the CASPR spray aircraft efficiency model. *Applied Engineering in Agriculture* 9:199-203.

Dennison, R. S. and J. B. Wedding. 1984. Determination of evaporation rates of pesticide droplets. Report No. 8434-2801. FS: Missoula, MT.

Dumbauld, R. K. and J. F. Bowers. 1983. Functional methodologies for characterizing windspeed, turbulence profiles and turbulent diffusion coefficients within and above vegetation canopies and urban domains. Report No. TR-83-341-01. HEC: Salt Lake City, UT.

Dumbauld, R. K., H. E. Cramer and J. W. Barry. 1975. Application of meteorological prediction models to forest spray problems. Report No. DPG-TR-M935P. DPG: Dugway, UT.

Ekblad, R. B. and J. W. Barry. 1990. Selection and verification of spray droplet evaporation model - briefing paper and progress report. Report No. 9052-2822 MTDC. FS: Missoula, MT.

Ekblad, R. B., M. E. Teske, R. Banaugh and J. W. Barry. 1988. Computer assisted spray productivity routine CASPR. Paper No. AA88-009. NAAA/ASAE: Las Vegas, NV.

Flake, H. W., M. E. Teske and J. W. Barry. 1993. FSCBG spray swath width predictions. Paper No. AA93-003. NAAA/ASAE: Reno, NV.

Fuchs, N. A. 1959. Evaporation and Droplet Growth in Gaseous Media. Pergamon: Elmsford, NY.

Gay, B. P. and D. P. Segers. 1994. Specialized laboratory support (task TA-31) droplet evaporation. Report No. FPM 94-9. FS: Davis, CA.

Goering, C. E., L. E. Bode and M. R. Gebhardt. 1972. Mathematical modeling of spray droplet deceleration and evaporation. *Transactions of the ASAE* 15:220-225.

Golovin, M. N. and A. A. Putnam. 1962. Inertial impaction on single elements. *I. E. C. Fundamentals* 1:264-273.

Grim, B. S., J. E. Rafferty, G. Sutton and T. Clarke. 1992. Penetration of aerielly disseminated *Bacillus thuringiensis* (Bt) into a Gambel oak canopy. Report No. DPG/JOD-92/017. DPG: Dugway, UT.

Hall, W. D. and H. R. Pruppacher. 1976. The survival of ice particles falling through cirrus clouds in subsaturated air. *J. Atmospheric Science* 33:1995-2006.

Hardy, C. E. 1987. Aerial application equipment. Report No. 8734-2804. FS: Missoula, MT.

Langmuir, I. and K. B. Blodgett. 1949. A mathematical investigation of water droplet trajectories. Report No. RL225. General Electric Company: Schenectady, NY.

MacNichol, A. Z. 1993. User manual for the spread factor database. Report No. FPM 93-14. FS: Davis, CA.

McDonald, J. E. 1960. An aid to computation of terminal fall velocities of spheres. *J. Meteorology* 17:463-465.

Mickle, R. E. 1990. Canadian laser mapping technique for aerial spraying. Paper No. AA90-004. NAAA/ASAE: Reno, NV.

Morris, D. J., C. C. Croom, B. J. Holmes and C. P. van Dam. 1982. NASA aerial applications wake interaction research. Paper No. AA82-005. NAAA/ASAE: Las Vegas, NV.

Morris, D. J., C. C. Croom, B. J. Holmes and C. P. van Dam. 1983. NASA wake interactions research and applications. Paper No. 830764. SAE Business Aircraft Meeting and Exposition: Wichita, KS.

Newton, W. E., B. S. Grim, J. W. Barry and R. B. Ekblad. 1989. Deposition studies in an almond orchard. AMS 19th Conference on Agriculture and Forest Meteorology: Charleston, SC. pp. 192-195.

Pruppacher, H. R. and R. Rasmussen. 1979. A wind tunnel investigation of the rate of evaporation of large water drops falling at terminal velocity in air. *J. Atmospheric Science* 36:1255-1260.

Pulley, R. A. and J. K. Walters. 1990. The effect of interception on pesticide collection by spheres and cylinders. *J. Aerosol Science* 21:733-743.

Rasmussen, L. A. 1978. On the approximation of saturation vapor pressure. *J. Applied Meteorology* 19:1564-1565.

Reed, W. H. 1954. An analytical study of the effect of airplane wake on the lateral dispersion of aerial sprays. NACA Report No. 1196.

Richardson, B., J. Ray, K. Miller and A. Vanner. 1993. Quantification of herbicide spray deposit variation following aerial application in forestry operations. 46th New Zealand Plant Protection Conference. pp. 319-324.

Skyler, P. J. and J. W. Barry. 1991. Compendium of drop size spectra compiled from wind tunnel tests. Report No. FPM 90-9. FS: Davis, CA.

Stewart, N. C. 1966. ASCAS: theoretical considerations and applications. Tech Memo No. 66-8. C-E-I-R, Inc.

Taylor, W. T., W. C. McIntyre, J. W. Barry, H. S. Sloane and G. L. Sutton. 1972. Services developmental test - PWU-5/A USAF modular internal spray system. Report No. DTC-FR-73-317. U.S. Army Deseret Test Center: Fort Douglas, UT.

Teske, M. E. 1989. AGDISP analysis of vortex decay from Program WIND phases I and III. Report No. MTDC 89-30. FS: Missoula, MT.

Teske, M. E. 1989. Parameterization of evaporation rates of pesticide droplets. Tech Note No. 89-12. CDI: Princeton, NJ.

Teske, M. E. 1990. DROPSIZE user manual. Tech Note No. 90-10. CDI: Princeton, NJ.

Teske, M. E. 1991. SDC - size distribution calculation user manual. Report No. 9134-2810 MTDC. FS: Missoula, MT.

Teske, M. E. 1991. DC-3 sensitivity study. Tech Note No. 91-6. CDI: Princeton, NJ.

Teske, M. E. 1992. ASCAS (automatic spot counting and sizing) program version 4.0 - user documentation. Report No. FPM 92-3. FS: Davis, CA.

Teske, M. E. 1992. Correlation of the USDA Forest Service drop size distribution data base. Report No. FPM 92-7. FS: Davis, CA.

Teske, M. E. 1992. Meteorological data reduction, METDAT version 1.0 user manual. Report No. FPM 92-11. FS: Davis, CA.

Teske, M. E. 1992. Spread factor regression, SPREAD version 2.0 user manual. Report No. FPM 92-12. FS: Davis, CA.

Teske, M. E. 1992. A working paper on net radiation index. Report No. FPM 92-13. FS: Davis, CA.

Teske, M. E. 1995. EMCOT meteorological data: 1993 Utah gypsy moth eradication program. Report No. FPM 95-3. FS: Davis, CA.

Teske, M. E. and J. W. Barry. 1992. Correlation of the USDA Forest Service drop size distribution data base. ILASS-Americas 5th Annual Conference on Liquid Atomization and Spray Systems: San Ramon, CA. pp. 157-161.

Teske, M. E., J. W. Barry and H. W. Thistle. 1994. Aerial spray drift modeling. Environmental Modeling Volume II: Computer Methods and Software for Simulating Environmental Pollution and its Adverse Effects. P. Zannetti (ed). Computational Mechanics Publications: Southampton, England. pp. 11-42.

Teske, M. E., J. W. Barry and H. W. Thistle. 1995. Environmental fate and accountancy. ACS Symposium Series No. 595. Biorational Pest Control Agents - Formulation and Delivery. F. R. Hall and J. W. Barry (eds). Washington, DC. pp. 95-107.

Teske, M. E., J. W. Barry and H. W. Thistle. 1996. FSCBG predictions coupled to GPS/GIS aircraft tracking. Pesticide Formulations and Application Systems: 15th volume. STP 1268. H. M. Collins, F. R. Hall and M. J. Hopkinson (eds). ASTM: Philadelphia, PA. pp. 15-28.

Teske, M. E., J. W. Barry and H. W. Thisle. 1996. FSCBG predictions of biological dose response coupled to decision support. Pesticide Formulations and Application Systems: 16th volume. STP 1312. M. J. Hopkinson, H. M. Collins and G. R. Gross (eds). ASTM: Philadelphia, PA. (to appear).

Teske, M. E. and A. J. Bilanin. 1993. Drop size scaling analysis of non-Newtonian fluids. Report No. FPM 93-11. FS: Davis, CA.

Teske, M. E. and A. J. Bilanin. 1994. Drop size scaling analysis of non-Newtonian fluids. *Atomizations and Sprays* 4:473-483.

Teske, M. E., A. J. Bilanin and J. W. Barry. 1993. Drop size scaling analysis of non-Newtonian fluids. ILASS-Americas 6th Annual Conference on Liquid Atomization and Spray Systems: Worcester, MA. pp. 68-72.

Teske, M. E., A. J. Bilanin and J. W. Barry. 1993. Decay of aircraft vortices near the ground. *AIAA J.* 31:1531-1533.

Teske, M. E. and T. B. Curbishley. 1995. CASPR (computer aided spray productivity routine) user manual. Report No. FPM 95-6. FS: Davis, CA.

Teske, M. E., T. B. Curbishley and C-M. G. Lam. 1994. An examination of the nonwater evaporation algorithm in FSCBG. Report No. FPM 95-1. FS: Davis, CA.

Teske, M. E. and A. E. Kaufman. 1995. Field measurements of helicopter rotor wash in hover and forward flight. Report No. FPM 95-7. FS: Davis, CA.

Teske, M. E., A. E. Kaufman and T. B. Curbishley. 1988. Dugway tower flyby data collection, reduction and interpretation. Tech Note No. 88-11. CDI: Princeton, NJ.

Teske, M. E., A. E. Kaufman and T. B. Curbishley. 1990. Additional Dugway tower flyby data collection, reduction and interpretation. Tech Note No. 90-14. CDI: Princeton, NJ.

Teske, M. E., A. E. Kaufman, C. W. George, B. S. Grim and J. W. Barry. 1995. Field measurements of helicopter rotor wash in hover and forward flight. American Helicopter Society Aeromechanics Specialist Conference: Fairfield County, CT.

Teske, M. E. and A. Z. MacNichol. 1996. Biological/insecticide dose-response data collected for FSCBG and GypsES Spray Advisor. Report No. FHTET 96-22. FS: Davis, CA.

Teske, M. E., A. Z. MacNichol and J. W. Barry. 1995. USDA Forest Service spread factor technology database. Pesticide Formulations and Application Systems: 14th volume. ASTM STP 1234. F. R. Hall, P. D. Berger and H. M. Collins (eds). ASTM: Philadelphia, PA. pp. 213-224.

Teske, M. E., A. Z. MacNichol and J. W. Barry. 1996. Coupling dose-response into FSCBG. Paper No. 961056. ASAE: Phoenix, AZ.

Teske, M. E., P. J. Skyler and J. W. Barry. 1991. A drop size distribution database for forest and agricultural spraying: potential for extended application. ICLASS-91 5th International Conference on Liquid Atomization and Spray Systems: Gaithersburg, MD. pp. 325-332.

Teske, M. E., H. W. Thistle and J. W. Barry. 1996. Topics in aerial spray drift modeling. Environmental Modeling Volume III: Computer Methods and Software for Simulating Environmental Pollution and its Adverse Effects. P. Zannetti (ed). Computational Mechanics Publications: Southampton, England. pp. 17-53.

Teske, M. E., D. B. Twardus and R. B. Ekblad. 1990. Swath width evaluation. Report No. 9034-2807 MTDC. FS: Missoula, MT.

Teske, M. E., D. B. Twardus and R. B. Ekblad. 1990. The evaluation of swath width for gypsy moth suppression. ILASS-Americas 4th Annual Conference on Liquid Atomization and Spray Systems: Hartford, CT. pp. 174-178.

Thistle, H. W. 1996. Atmospheric stability and the dispersion of pesticides. *J. American Mosquito Control Association* 12:359-363.

Thistle, H. W., M. E. Teske and J. W. Barry. 1993. The relationship between in-canopy micrometeorology and droplet deposition. Paper No. 931058. ASAE: Spokane, WA.

Thistle, H. W., M. E. Teske and J. W. Barry. 1994. Penetration of aerially released spray material into forest canopies: a review of early work. Paper No. 941029. ASAE: Kansas City, MO.

Thistle, H. W., M. E. Teske and J. W. Barry. 1996. Incorporation of stability effects into a Lagrangian solver used to model wake and ambient dispersion in the atmosphere. AMS 9th Conference on the Application of Air Pollution Meteorology: Atlanta, GA. pp. 538-541.

Threadgill, E. D. and D. B. Smith. 1975. Effects of physical and meteorological parameters on the drift of controlled-size droplets. *Transactions of the ASAE* 18:51-56.

Trayford, R. S. and L. W. Welch. 1977. Aerial spraying: a simulation of factors influencing the distribution and recovery of liquid droplets. *J. Agricultural Engineering Research* 22:183-196.

Wedding, J. B., Y. J. Kim and R. S. Dennison. 1986. Mass transfer from water droplets under simulated free-fall conditions. *Atmospheric Environment* 20:1039-1045.

Williamson, G. G., M. E. Teske and R. G. Geyer. 1985. Experimental study of aircraft wakes in forest canopies. Report No. MTDC 8634-2811. FS: Missoula, MT.

Williamson, R. B. and E. D. Threadgill. 1974. A simulation for the dynamics of evaporating spray droplets in agricultural spraying. *Transactions of the ASAE* 17:254-261.

Yang, X., D. R. Miller and J. J. Witcosky. 1994. Characterization of hardwood forest canopies in the eastern United States. AMS 21st Conference on Agriculture and Forest Meteorology: San Diego, CA. pp. 130-133.

Yates, W. E., N. B. Akesson and R. E. Cowden. 1984. Measurement of drop size frequency from nozzles used for aerial applications of pesticides in forests. Report No. 8434-2804. FS: Missoula, MT.

Yates, W. E., R. E. Cowden and N. B. Akesson. 1983. Drop size spectra from nozzles in high-speed airstreams. Paper No. NAAA/AA83-005. ASAE: Reno, NV.

Yates, W. E., R. E. Cowden and N. B. Akesson. 1985. Drop size spectra from nozzles in high-speed airstreams. *Transactions of the ASAE* 28:405-410,414.

Young, R. W., R. C. Luebbe and J. W. Barry. 1977. ASCAS - data management system for assessment of aerial spray deposits. Report No. 77-2. FS: Davis, CA.

3. Model Development

Bilanin, A. J. and M. E. Teske. 1984. Numerical studies of the deposition of material released from fixed and rotary wing aircraft. NASA Contractor Report 3779.

Bilanin, A. J., M. E. Teske, J. W. Barry and R. B. Ekblad. 1990. USDA Forest Service aerial spray dispersion models AGDISP and FSCBG - I: model formulation. Pesticides in the Next Decade: The Challenges Ahead. D. L. Weigmann (ed). 3rd National Research Conference on Pesticides: Richmond, VA. pp. 772-781.

Bilanin, A. J., M. E. Teske and D. J. Morris. 1981. Predicting aerially applied particle deposition by computer. Paper No. 810607. SAE: Wichita, KA.

Bjorklund, J. R., C. R. Bowman and G. C. Dodd. 1988. User manual for the FSCBG aircraft spray and dispersion model version 2.0. Report No. FPM 88-5. FS: Davis, CA. Report No. TR-87-164-01. HEC: Salt Lake City, UT.

Cramer, H. E., J. R. Bjorklund, F. A. Record, R. K. Dumbauld, R. N. Swanson, J. E. Faulkner and A. G. Tingle. 1972. Development of dosage models and concepts. Report No. DTC-TR-72-609-I. U. S. Army Deseret Test Center: Fort Douglas, UT.

Curbishley, T. B. 1995. FSCBG/D - the FSCBG demonstration system user guide. Report No. FPM 95-14. FS: Davis, CA.

Curbishley, T. B. and P. J. Skyler. 1989. User manual - Forest Service aerial spray computer model - FSCBG(PC). Report No. FPM 89-1. FS: Davis, CA.

Curbishley, T. B., P. J. Skyler, M. E. Teske and J. W. Barry. 1992. FSCBG 4.0 aerial spray model. Paper No. 921069. ASAE: Charlotte, NC.

Curbishley, T. B., M. E. Teske and J. W. Barry. 1991. Spray dispersion visualization using FSCBG 4.0. Paper No. 911051. ASAE: Albuquerque, NM.

Dumbauld, R. K. 1981. Aerial spray application and long-term drift. AMS Workshop on Parameterization of Mixed-Layered Diffusion: Las Cruces, NM.

Dumbauld, R. K., J. R. Bjorklund and S. F. Saterlie. 1980. Computer models for predicting aircraft spray dispersion and deposition above and within forest canopies: user's manual for the FSCBG computer program. Report No. FPM 80-11. FS: Davis, CA.

Dumbauld, R. K., J. E. Rafferty and J. D. Bergen. 1979. Mesoscale and dispersion modeling solutions of insecticide drift for the New Brunswick spray scenario. Presented at the Conference on Long-Distance Drift of Insecticides from Aerial Sprays in Forest Operations: Fredericton, New Brunswick, Canada.

Dumbauld, R. K., J. E. Rafferty and H. E. Cramer. 1976. Dispersion-deposition from aerial spray releases. AMS 3rd Symposium on Atmospheric Turbulence, Diffusion, and Air Quality: Raleigh, NC. pp. 520-527.

Goering, C. E. and D. B. Smith. 1978. Equations for droplet size distributions in sprays. *Transactions of the ASAE* 21:209-216.

Grim, B. S. and J. W. Barry. 1975. A canopy penetration model for aerially disseminated insecticide spray released above coniferous forests. Report No. DPG-FR-C625A. DPG: Dugway, UT.

Grim, B. S. and J. W. Barry. 1976. A canopy penetration model for aerially disseminated insecticide spray released above coniferous forests. AMS 4th Conference on Fire and Forest Meteorology: St. Louis, MO. pp. 109-115.

Rafferty, J. E. 1983. Review of the AGLINE code compatibility with FSCBG code requirements. Report No. TR-83-331-01. HEC: Salt Lake City, UT.

Teske, M. E. 1984. Computer program for prediction of the deposition of material released from fixed and rotary wing aircraft. NASA Contractor Report 3780.

Teske, M. E. 1986. User manual extension for the computer code AGDISP mod 3.0. Report No. 8634-2802. FS: Missoula, MT.

Teske, M. E. 1988. AGDISP mod 5.0 solution algorithm. Tech Note No. 88-10. CDI: Princeton, NJ.

Teske, M. E. 1989. User manual extension for the computer code AGDISP mod 5.0. Report No. MTDC 89-2. FS: Missoula, MT.

Teske, M. E. 1989. Running the Forest Service dispersal code AGDISP on a personal computer. Report No. MTDC 89-17. FS: Missoula, MT.

Teske, M. E. 1990. AGDISP enhancements mod 5.2. Tech Note No. 90-3. CDI: Princeton, NJ.

Teske, M. E. 1991. An FSCBG primer. Report No. FPM 91-7. FS: Davis, CA.

Teske, M. E. 1991. AGDISP user manual mod 6.0. Report No. 9134-2828 MTDC. FS: Missoula, MT.

Teske, M. E. 1992. FSCBG technical reference manual. Report No. FPM 92-4. FS: Davis, CA.

Teske, M. E. 1994. GypsES technical manual. Tech Note No. 94-26. CDI: Princeton, NJ.

Teske, M. E. 1995. FSCBG/RT - real-time model subroutines for spray cloud prediction. Report No. FPM 95-9. FS: Davis, CA.

Teske, M. E. 1995. COMBINE - a software program which generates multiple flight line results from a single flight line. Report No. FPM 95-20. FS: Davis, CA.

Teske, M. E. 1996. FSCBG implementation into SpraySafe Manager - a decision support system. Report No. FHTET 96-02. FS: Davis, CA.

Teske, M. E., A. J. Bilanin, J. W. Barry and R. B. Ekblad. 1989. AGDISP and FSCBG aerial spray model - source decay coefficients. Report No. MTDC 89-28. FS: Missoula, MT.

- Teske, M. E., J. F. Bowers, J. E. Rafferty and J. W. Barry. 1993. FSCBG: an aerial spray dispersion model for predicting the fate of released material behind aircraft. *Environmental Toxicology and Chemistry* 12:453-464.
- Teske, M. E. and T. B. Curbishley. 1991. Forest Service aerial spray computer model FSCBG 4.0 user manual. Report No. FPM 91-1. FS: Davis, CA.
- Teske, M. E. and T. B. Curbishley. 1992. Forest Service aerial spray computer model FSCBG 4.1 user manual extension. Tech Note No. 92-27. CDI: Princeton, NJ.
- Teske, M. E. and T. B. Curbishley. 1993. Forest Service aerial spray computer model - FSCBG 4.2 user manual extension. Report No. FPM 93-17. FS: Davis, CA.
- Teske, M. E. and T. B. Curbishley. 1994. Forest service aerial spray computer model FSCBG 4.3 user manual extension. Report No. FPM 94-10. FS: Davis, CA.
- Teske, M. E. and T. B. Curbishley. 1994. FSCBG/GypsES user manual. Tech Note No. 94-25. CDI: Princeton, NJ.
- Teske, M. E., T. B. Curbishley, J. W. Barry and R. B. Ekblad. 1990. FSCBG - the Forest Service aerial spray dispersion complete-wake model. Resource Technology 90: Washington, DC. pp. 666-675.
- Teske, M. E., T. B. Curbishley and A. Z. MacNichol. 1995. FSCBG version 4.35 one-on-one training notes. Report No. FPM 95-19. FS: Davis, CA.
- Teske, M. E., T. B. Curbishley and A. Z. MacNichol. 1996. FSCBG version 5.0 user manual. Report No. 96-7. CDI: Princeton, NJ.
- Teske, M. E., T. B. Curbishley and P. J. Skyler. 1991. FSCBG one-on-one instruction manual. Report No. FPM 91-8. FS: Davis, CA.

4: Model Data Comparison

Anderson, D. E., D. R. Miller, Y. Wang, W. G. Yendol, K. Mierzejewski and M. L. McManus. 1992. Deposition of aurally applied Bt in an oak forest and its prediction with the FSCBG model. *J. Applied Meteorology* 31:1457-1466.

Barber, L. R. and A. Mangini. 1993. Comparison of ground and aerial application spray drift on the Union Camp Corporation southern states loblolly pine seed orchard in Claxton, GA - August 20-23, 1991. 22nd Southern Forest Tree Improvement Conference: Atlanta, GA. pp. 74-80.

Barry, J. W. 1985. Drift predictions of three herbicide tank mixes. Report No. FPM 85-3. FS: Davis, CA.

Barry, J. W., L. R. Barber, P. A. Kenney and R. B. Ekblad. 1984. Aerial application in southern pine seed orchards. *Agricultural Aviation* 11:8-10,22.

Barry, J. W., L. R. Barber, P. A. Kenney and N. A. Overgaard. 1984. Feasibility of aerial spraying of southern pine seed orchards. *Southern J. Applied Forestry* 8:127-131.

Barry, J. W. and R. B. Ekblad. 1977. Deposition of insecticide drops on coniferous foliage. Paper No. 77-1041. ASAE: Raleigh, NC.

Barry, J. W., R. B. Ekblad and L. R. Barber. 1980. Aerial application to coniferous seed orchards. Paper No. AA80-004. NAAA/ASAF: Las Vegas, NV.

Barry, J. W., R. B. Ekblad, P. A. Kenney and L. R. Barber. 1983. Drift from aerial application to coniferous seed orchards. Paper No. AA83-003. NAAA/ASAE: Reno, NV.

Barry, J. W., P. A. Kenney, L. R. Barber, R. B. Ekblad, R. J. Dumbauld, J. E. Rafferty, H. W. Flake and N. A. Overgaard. 1982. Aerial application to southern pine seed orchards - data report of the Withlacoochee trials. Report No. 82-1-23. FS: Asheville, NC.

Barry, J. W., A. Z. MacNichol and M. E. Teske. 1996. A re-examination of the Withlacoochee aerial spray trials. *Applied Engineering in Agriculture* (in review).

Barry, J. W., A. Z. MacNichol and M. E. Teske. 1996. Modeling deposition in orchards using FSCBG (in review).

Barry, J. W., P. J. Skyler, M. E. Teske, J. A. Rafferty and B. S. Grim. 1993. Predicting and measuring drift of *Bacillus thuringiensis* sprays. *Environmental Toxicology and Chemistry* 12:1977-1989.

Barry, J. W., M. E. Teske, B. S. Grim, W. J. Roltsch and F. G. Zalom. 1993. Observing and predicting spray penetration in tree canopies. Paper No. 931060. ASAE: Spokane, WA.

Barry, J. W., M. E. Teske, J. E. Rafferty, B. S. Grim and P. J. Skyler. 1992. Predicting spray drift in complex terrain. Paper No. 921085. ASAE: Charlotte, NC.

Barry, J. W., J. Wong, P. A. Kenney, L. R. Barber, H. W. Flake and R. B. Ekblad. 1981. Deposition of pesticide drops on pine foliage from aerial application. *Z. ang. Ent.* 92:224-232.

Bilanin, A. J., M. E. Teske, J. W. Barry and R. B. Ekblad. 1987. Comparisons of AGDISP code predictions with Program WIND deposition results. Symposium on the Aerial Application of Pesticides in Forestry: Ottawa, Canada. pp. 139-143.

Bilanin, A. J., M. E. Teske, J. W. Barry and R. B. Ekblad. 1987. AGDISP code development and data comparison. Paper No. AA87-1539. ASAE: Chicago, IL.

Bilanin, A. J., M. E. Teske, J. W. Barry and R. B. Ekblad. 1989. AGDISP: the aircraft spray dispersion model, code development and experimental validation. *Transactions of the ASAE* 32:327-334.

Bilanin, A. J., M. E. Teske, J. W. Barry and R. B. Ekblad. 1989. Helicopter spray modeling and experimental validation. ILASS-Americas 3rd Annual Conference on Liquid Atomization and Spray Systems: Irvine, CA. pp. 93-97.

Bilanin, A. J., M. E. Teske, J. W. Barry and R. B. Ekblad. 1990. USDA Forest Service aerial spray dispersion models AGDISP and FSCBG - II: model validation. Pesticides in the Next Decade: The Challenges Ahead. D. L. Weigmann (ed). 3rd National Research Conference on Pesticides: Richmond, VA. pp. 782-791.

Bush, P. B., Y. C. Berisford, J. W. Taylor and S. Cameron. 1996. Use of the FSCBG model to develop operational insecticide application guidelines for intensive southeastern pine management. Paper No. 961055. ASAE: Phoenix, AZ.

Bush, P. B., S. S. Chapman, Y. C. Berisford and J. W. Taylor. 1995. Use of FSCBG to predict pesticide deposition on a Piedmont pine seed orchard. *Southern J. Applied Forestry* 19:145-150.

Bush, P. B. and J. W. Taylor. 1994. Aerial application of permethrin for defining a critical FSCBG model parameter. Project Report. Prepared by Agricultural Services Laboratory, The University of Georgia and USDA Forest Service for Union Camp Corporation, Savannah, GA.

Bush, P. B., J. W. Taylor and J. W. Barry. 1994. FSCBG: a management tool for aerial pesticide application. Paper No. 941030. ASAE: Kansas City, MO.

Duan, B., W. G. Yendol and K. Mierzejewski. 1992. Statistical comparison of the AGDISP model with deposit data. *Atmospheric Environment* 26A:1635-1642.

Dumbauld, R. K. and J. R. Bjorklund. 1977. Deposition profile calculations for the state of Maine 1977 spray program. Report No. TR-77-310-01. HEC: Salt Lake City, UT.

Dumbauld, R. K., C. R. Bowman and J. E. Rafferty. 1980. Optimum swath widths and application rates for selected aircraft and meteorological regimes. Report No. FPM 80-5. FS: Davis, CA. Report No. TR-80-319-01. HEC: Salt Lake City, UT.

Dumbauld, R. K., J. E. Rafferty and J. R. Bjorklund. 1977. Prediction of spray behavior above and within a forest canopy. Report No. TR-77-308-01. HEC: Salt Lake City, UT.

Farrell, T. C., B. L. Beattie and R. E. Mickle. 1993. Comparison of pesticide spray deposition model results with operational measurements. Report No. MAES 2-93. Atmospheric Environment Service: Bedford, Nova Scotia, Canada.

Geary, H. V., C. R. Bowman, J. E. Rafferty and R. K. Dumbauld. 1987. Application of the FSCBG version 2 aerial spray model in forestry. Presented at the National Research Council Symposium on the Aerial Application of Pesticides in Forestry: Ottawa, Canada.

Ghent, J. H. and D. B. Twardus. 1994. The spray swath of the DC-3 for gypsy moth suppression using *Bacillus thuringiensis*. Report No. NA-TP-05-94. FS: Morgantown, WV.

MacNichol, A. Z. 1994. C-47 aircraft spray deposition - part 1: a statistical interpretation. Report No. FPM 94-11. FS: Davis, CA.

MacNichol, A. Z. 1996. Canopy penetration in almond orchards - part 1: efficiency of deposition within the canopy. Report No. FPM 96-3. FS: Davis, CA.

MacNichol, A. Z. 1996. Canopy penetration in almond orchards - part 2: FSCBG simulation of drop deposition and downwind drift. Report No. FHTET 96-03. FS: Davis, CA.

MacNichol, A. Z. 1996. FSCBG model comparisons with the 1980 Withlacoochee state seed orchard spray trials - canopy deposition and spray drift. Report No. FHTET 96-05. FS: Davis, CA.

MacNichol, A. Z. 1996. FSCBG model comparisons with the 1992 Charter Orchard peach twig borer study - spray deposition and drift. Report No. FHTET 96-11. FS: Davis, CA.

MacNichol, A. Z. and M. E. Teske. 1993. FSCBG model comparisons with the C-130 spray trials. Report No. FPM 93-10. FS: Davis, CA.

MacNichol, A. Z. and M. E. Teske. 1993. FSCBG model comparisons with the 1988 Davis spray characterization trials. Report No. FPM 93-12. FS: Davis, CA.

MacNichol, A. Z. and M. E. Teske. 1994. FSCBG model comparisons with the 1991 Davis virus spray trials. Report No. FPM 94-2. FS: Davis, CA.

MacNichol, A. Z. and M. E. Teske. 1994. FSCBG model comparisons - 1974 Rennie Creek spray trials. Report No. FPM 94-12. FS: Davis, CA.

MacNichol, A. Z. and M. E. Teske. 1995. C-47 aircraft spray deposition - part 2: FSCBG model prediction of deposition and biological response. Report No. FPM 95-8. FS: Davis, CA.

MacNichol, A. Z. and M. E. Teske. 1995. C-47 aircraft spray deposition - part 3: FSCBG model prediction of deposition edge effects. Report No. FPM 95-16. FS: Davis, CA.

MacNichol, A. Z. and M. E. Teske. 1996. Canopy penetration in almond orchards - part 3: biological response within the canopy. Report No. FHTET 96-04. FS: Davis, CA.

Mickle, R. E., N. J. Payne and J. C. Cunningham. 1996. Comparison of modelled and measured deposit with efficacy. Paper No. 961060. ASAE: Phoenix, AZ.

Mierzejewski, K. 1995. Use of the FSCBG program to simulate off-target drift of aerially applied malathion in cotton crops. Report No. AATL 95-1. Penn State Aerial Application Technology Laboratory: University Park, PA.

Mierzejewski, K., J. Bryant, W. Yendol, R. Reardon, W. McLane and T. Roland. 1987. An experimental evaluation of swath modelling computer programs. Paper No. AA87-005. NAAA/ASAE: Mobile, AL.

Rafferty, J. E. 1984. Herbicide spray drift predictions using the Forest Service FSCBG forest spray model. Report No. FPM 84-1. FS: Davis, CA.

Rafferty, J. E. 1994. FSCBG analysis of the 1990 Oregon seed orchard trials. Tech Note No. 94-90-1. DPG: Dugway, UT.

Rafferty, J. E. and J. F. Bowers. 1990. Comparison of FSCBG2 and FSCBG3 aerial spray model predictions with field measurements. Report No. FPM 90-2. FS: Davis, CA. Report No. DPG-FR-90-001. DPG: Dugway, UT.

Rafferty, J. E. and J. F. Bowers. 1993. Comparison of FSCBG spray model predictions with field measurements. *Environmental Toxicology and Chemistry* 12:465-480.

Rafferty, J. E., J. F. Bowers, M. E. Teske and J. W. Barry. 1990. Comparison of aerial spray model predictions with field measurements. ILASS-Americas 4th Annual Conference on Liquid Atomization and Spray Systems: Hartford, CT. pp. 150-153.

Rafferty, J. E., R. K. Dumbauld, H. W. Flake, J. W. Barry and J. Wong. 1981. Comparison of modeled and measured deposition for the Withlacoochee spray trials. Report No. FPM 81-3. FS: Davis, CA.

Rafferty, J. E., J. M. White, J. F. Bowers and J. W. Barry. 1988. Comparison of Program WIND phase III deposition measurements with FSCBG2 model predictions. Report No. DPG/TA-89-007. DPG: Dugway, UT.

Rafferty, J. E., J. M. White, J. F. Bowers and R. K. Dumbauld. 1989. Forest spray dispersion study: comparison of measured deposition with FSCBG2 model predictions. AMS 19th Conference on Agricultural and Forest Meteorology: Charleston, SC. pp. 200-203.

Richardson, B., J. Ray, K. Miller, A. Vanner and N. Davenport. 1993. Measured and modelled spray drift from three nozzle types following aerial application of a herbicide simulant. Paper No. 931102. ASAE: Spokane, WA.

Sanderson, R., S. Cameron, A. Mangini and L. Barber. 1993. Aerial spray deposition trials and FSCBG verification. Paper No. 931059. ASAE: Spokane, WA.

Skyler, P. J. and J. W. Barry. 1990. Evaluation of C-130 aircraft modular aerial spray system (MASS) for high volume (HV) application of herbicides - fuselage booms (trials HV-1 and HV-2). Report No. FPM 90-6. FS: Davis, CA.

Skyler, P. J., J. W. Barry and J. Warner. 1989. FSCBG computer model predictions of swath widths - 1988 western spruce budworm project - Pacific Northwest Region. Report No. FPM 89-4. FS: Davis, CA.

Teske, M. E. 1988. AGDISP comparisons with the Mission swath width characterization studies. Report No. 8834-2801. FS: Missoula, MT.

Teske, M. E. 1989. An examination of AGDISP helicopter model comparisons with data and detailed helicopter code predictions. Report No. MTDC 89-29. FS: Missoula, MT.

Teske, M. E. 1989. AGDISP comparisons with four field deposition studies. Report No. FPM 89-5. FS: Davis, CA.

Teske, M. E. 1990. FSCBG modeling comparisons with the Heather seed orchard deposition data. Report No. FPM 90-5. FS: Davis, CA.

Teske, M. E. 1992. An interpretation of the DC-3 swath width field trials. Tech Note No. 92-6. CDI: Princeton, NJ.

Teske, M. E. 1993. The performance of FSCBG in downwind drift predictions. Report No. FPM 93-9. FS: Davis, CA.

Teske, M. E. 1995. *Bacillus thuringiensis* drift deposits on Gambel oak foliage and physical samplers - 1992 Utah gypsy moth eradication project. Report No. FPM 94-13. FS: Davis, CA.

Teske, M. E. 1995. *Bacillus thuringiensis* drift deposits on foliage and physical samplers - a summary of the Utah drift studies 1991-1993. Report No. FPM 95-18. FS: Davis, CA.

Teske, M. E. and J. W. Barry. 1993. FSCBG spray drift predictions. Paper No. 931101. ASAE: Spokane, WA.

Teske, M. E., J. W. Barry and R. B. Ekblad. 1990. Canopy penetration and deposition in a Douglas-fir seed orchard. Paper No. 901019. ASAE: Columbus, OH.

Teske, M. E., J. W. Barry and J. H. Ghent. 1994. Aircraft deposit coverage over canopies. Paper No. 941033. ASAE: Kansas City, MO.

Teske, M. E., J. W. Barry and J. E. Rafferty. 1994. An examination of spray penetration through scrub oak canopies. Paper No. 941031. ASAE: Kansas City, MO.

Teske, M. E., J. W. Barry, P. J. Skyler, F. G. Zalom and G. W. Kirfman. 1993. FSCBG application to canopy spray penetration and deposition. Paper No. 931062. ASAE: Spokane, WA.


Teske, M. E., K. P. Bentson, R. E. Sandquist, J. W. Barry and R. B. Ekblad. 1991. Comparison of FSCBG model predictions with Heather Seed Orchard deposition data. *J. Applied Meteorology* 30:1366-1375.

Teske, M. E. and A. Z. MacNichol. 1995. Effect of upwind-downwind aircraft vortex decay on ground deposition. Report No. FPM 95-13. FS: Davis, CA.

Thistle, H. W., J. W. Barry and M. E. Teske. 1993. Development and validation of the FSCBG model for the simulation of spray drift. Presented at the ANPP-BCPC 2nd International Symposium on Pesticide Application Techniques. Strasbourg, France. pp. 235-245.

Waldron, A. W. 1975. An engineering approach to the problem of maximizing Zectran particle capture on spruce budworms in a dense coniferous forest. Report No. DPG-TN-M605P. DPG: Dugway, UT.

Walker, J. T. and D. R. Gardisser. 1989. Using AGDISP for dry material deposition pattern analysis. Paper No. AA89-006. NAAA/ASAE: New Orleans, LA.



NATIONAL AGRICULTURAL LIBRARY



1023055247